


# EYE Cera Arc 5500K



## PHYSICAL DATA AND CHARACTERISTICS

Type	Watts (W)	Bulb	Base	Bulb Finish	Std. Pkg. Qty.	Colour Temp. (K)	Lamp		Initial Lumens (lm)	Ra	Rated Av. Life (hrs)	Burning Position	Ref.*
							Voltage (V)	Current (A)					
<b>EYE Cera Arc 5500K TP - Tubular Protected E27 screw base</b>													
CMT150/N	150	T30	E27	Clear	12	5500	90	1.67	12500	95	9000	Any	ECG
CMT150F/N	150	T30	E27	Frosted	12	5500	90	1.67	12000	95	9000	Any	ECG

\* Lamps marked ECG in the Ref. column must be used with electronic ballasts manufactured by or approved by Iwasaki Electric to ensure correct operation.

Coollest colour temperature ceramic metal halide lamp from Iwasaki Electric Company accurately reproduces the true colour of objects, making it an excellent choice for many different applications.

### Features

- Ra: 95, high colour rendering.
- Provides approx. 13% higher lumens than other high colour temperature CRI metal halide lamps.
- R9:  $\geq 70$ , high red colour rendering.
- UV reduction coating on outer bulb prevents lit objects from fading and maintains high output with polycarbonate lenses.

### Notes:

Warning / Caution notices: page 35

Operating Instruction: page 35

