


Single ended E10, E11 and E14 base



PHYSICAL DATA AND CHARACTERISTICS

Type	Volts (V)	Watts (W)	Approx. Initial Lumens (ℓ m)	Colour Temp. (K)	Rated Av. Life (hrs)	Dimensions (mm)			Base	Filament	Fig. No.
						M.D.	M.O.L.	L.C.L.			
JD28V75W/M1	28	75	1350	2950	2000	9.5	61	29.5	E10	CC-6	1
JD75W/M2 (M3-M7)	100,110,120	75	1200	2850	1500	11.5	70	46	E11 or E14	CC-8	2
JD100W/M2 (M3-M7)	100,120	100	1600	2850	1500	11.5	70	49	E11 or E14	CC-8	2
JD100W/M2 (M5-M7)	220/230	100	1400	2850	1500	16.0	80	55	E11 or E14	CC-13	3
JD150W/M2 (M3-M7)	110,120	150	2400	2850	2000	14.0	70	49	E11 or E14	CC-8	2
JD150W/M2 (M5-M7)	220/230	150	2250	2900	1500	16.0	80	55	E11 or E14	CC-13	3
JD250W/M2 (M5-M7)	240/250	150	2250	2900	1500	16.0	80	55	E11 or E14	CC-13	3
JD250W/M2 (M5-M7)	110,120	250	4500	2900	2000	14.0	81	61	E11 or E14	CC-8	4 (5)
JD250W/M2 (M5-M7)	220/230	250	4500	2900	2000	15.0	81	61	E11 or E14	CC-8	4
JD250W/M2 (M5-M7)	240/250	250	4500	2900	2000	15.0	81	61	E11 or E14	CC-8	4
JD500W/M2 (M5-M7)	110,120	500	9500	2950	2000	14.0	95	66	E11 or E14	CC-8	4
JD500W/M2 (M5-M7)	220/230	500	9500	2950	2000	16.0	95	66	E11 or E14	CC-8	4 (6)
JD500W/M2 (M5-M7)	240/250	500	9500	2950	2000	16.0	95	66	E11 or E14	CC-8	4 (6)

Notes: • Burning position: Any

Single ended halogen lamp with E10, E11 and E14 bases.

FEATURES

- Crisp, white light
- Reliable long life.
- Suitable for display case, lounges, retail stores, furniture, museums, restaurants, marine / boat applications.