


Double envelope



PHYSICAL DATA AND CHARACTERISTICS

Type	Reference or Substitute Lamp	Volts (V)	Watts (W)	Approx. Initial Lumens (lm)	Colour Temp. (K)	Rated Av. Life (hrs)	Dimensions (mm)			Base	Filament	Fig. No.
							M.D.	M.O.L.	L.C.L.			
E27 base												
JT75W	JT1043	120	75	1150	2850	1500	30	86	53	E26	CC-8	1
JT75W	JT2020	220/230	75	1000	2800	1000	30	86	55	E27	CC-13	2
	JT2021	240/250	75	1000	2800	1000	30	86	55	E27	CC-13	2
JT100W	JT1047	120	100	1600	2900	1500	30	86	53	E26	CC-8	1
JT100W	JT2023	220/230	100	1400	2850	1500	30	86	55	E27	CC-13	2
	JT2024	240/250	100	1400	2850	1500	30	86	55	E27	CC-13	2
JT150WL	JT2097	220/230	150	2500	2900	1500	30	105	75	E27	CC-13	3
	JT2098	240/250	150	2500	2900	1500	30	105	75	E27	CC-13	3
JT250WL	JT2100	220/230	250	4200	2900	1500	30	105	75	E27	CC-13	3
	JT2101	240/250	250	4200	2900	1500	30	105	75	E27	CC-13	3
E40 base												
JT500W	—	125/130	500	12000	3000	2000	39	215	130	E40	C-8	4
JT500W	—	230/240	500	10000	3000	2000	39	215	130	E40	CC-8	4
	—	240/250	500	10000	3000	2000	39	215	130	E40	CC-8	4
JT1000W	—	230/240	1000	24000	3000	2000	38	255	155	E40	C-8	5
	—	240/250	1000	24000	3000	2000	38	255	155	E40	C-8	5

Notes: • Burning position: Horizontal $\pm 15^\circ$
• Enclosed fixtures only

Double envelope single ended halogen lamp with E27 and E40 bases.

FEATURES

- Crisp, white light
- Reliable long life.
- Suitable for display case, lounges, retail stores, furniture, restaurants, marine / boat applications.